

## WHY CHOOSE?



- Unique Exact Method to Cut Pipes
- Safe, Accurate, and Fast
- Speed: Cut 6" Steel Pipe with an 1/8" Wall in Less than 20 Seconds
- Cut Steel, Plastic, Copper, Cast Iron, Stainless Steel, and Multi-Layer Pipes
- Improve Safety, Accuracy, and Speed on the Jobsite

#### **PRO SERIES: PIPE SAWS FOR HEAVY DUTY PIPES**

### **Infinity Saw**

Capacity Range*	14" - 73" with Standard Kit 73" + by adding chain segments
Steel Wall Thickness	.5"
Plastic Wall Thickness	1.7"
Motor	15 Amp
Weight	28 lb Shipping Weight 68 lb

\*Additional Chain Segments Sold in 78" Increments

\*Uses a Chain Tracking Mechanism to Facilitate the Cut



**3 Different Options** 

- INFINITY: Standard Kit with Manual Crank
- INFINITY CUT & BEVEL: Cuts & Bevels Cast/Ductile Iron & Cuts Multi-Layer Pipe
- INFINITY PLUS: Includes Gearbox for Cordless Drill Assisted Operation

Standard Equipment: PipeCut Infinity Motor Unit & Cermet 165 Blade, Shoulder Bags, 2 pcs Tensioner Device, Tensioner Device w/ Crank, Chain segments for attaching saw to pipe: 78" 2 pcs • 39" 1 pc • 20" 1 pc • 8" 2 pcs • 4" 1 pc, Allen Keys (2mm, 5mm) \*Diamond 165 Cut/Bevel Blade comes with INFINITY CUT/BEVEL Saw

### **PipeCut 220 Pro**

Capacity Range	.8" - 8.7" OD Pipes
Steel Wall Thickness	.6"
Plastic Wall Thickness	1.4"
Motor	15 Amp
Weight	25 lb

Built-in Laser for Precise Cutting

"Traffic Light" Indicators Provide Overload Protection

#### **Standard Equipment:**

PipeCut 220 PRO Saw, TCT 165 Blade, Shoulder Bag, 4 Pipe Supports, Allen Keys (2mm, 5mm)

### **PipeCut 220 Pro Cut & Bevel**

Capacity Range .8" – 8.7" OD Pipes

Cut & Bevel Ductile/Cast Iron at the Same Time

Also Includes: Diamond Cut Bevel Disc 165 mm and Specific Blade Guard for it







PipeCut 220 Pro Cut & Bevel

### **PipeCut 280 Pro**

Capacity Range	2" – 11" OD Pipes
Steel Wall Thickness	.5"
Plastic Wall Thickness	2"
Motor	15 Amp
Weight	34 lb
D	

Built-in Laser for Precise Cutting

"Traffic Light" Indicators Provide Overload Protection

**Standard Equipment:** PipeCut 280 PRO Saw, TCT 165 Blade, Shoulder Bag, 4 Pipe Supports, Allen Keys (2mm, 5mm)







#### **PipeCut 360 Pro**

Capacity Range	3" – 14" OD Pipes
Steel Wall Thickness	.5"
Plastic Wall Thickness	2"
Motor	15 Amp
Weight	36 lb

**Built-in Laser for Precise Cutting** 

"Traffic Light" Indicators Provide Overload Protection

**Standard Equipment:** PipeCut 360 PRO Saw, TCT 165 Blade, Shoulder Bag, Heavy Duty Pipe Supports (2 Single, 1 Double), Allen Keys (2mm, 5mm)

### **PipeCut 360 Pro Cut & Bevel**

Capacity Range 3" – 14" OD Pipes

Cut & Bevel Ductile/Cast Iron at the Same Time

Also Includes: Diamond Cut Bevel Disc 165 mm and Specific Blade Guard for it

#### **PipeCut 460 Pro**

4" – 18" OD Pipes
.5"
2"
<b>15</b> Amp
39 lb

**Built-in Laser for Precise Cutting** 

"Traffic Light" Indicators Provide Overload Protection

Standard Equipment: PipeCut 460 PRO Saw, TCT 165 Blade, Shoulder Bag, Heavy Duty Pipe Supports (2 Single, 1 Double), Allen Keys (2mm, 5mm)

#### **STAINLESS STEEL SAWS**

#### **PipeCut 220 INOX**

Capacity Range	.8" - 8.7" OD Pipes
Max Pipe Wall	.5"
Motor	15 Amp
Weight	25 lb

**Stainless Steel Rollers and Blade Guard Touch Point** 

**Built-in Laser for Precise Cutting** 

"Traffic Light" Indicators Provide Overload Protection

Standard Equipment: PipeCut 220 INOX Saw, 140 INOX Blade, Shoulder Bag, 4 Pipe Supports, Allen Keys (2mm, 5mm)

### **PipeCut 360 INOX**

for Stainless Steel Applications

Capacity Range 3" - 14" OD Pipes













### **WE CUT THE PIPES**

# AND NOW WE'VE CUT THE CORD!

#### **CORDLESS SAWS**

#### **170 Cordless Kit**

Capacity Range	.6" - 6.7" OD Pipes
Steel Wall Thickness	3/16"
Plastic Wall Thickness	1/2"
Battery	18V 5.0 AH Lithium Ion
Charge Time	1 hour



#### **Standard Equipment:**

PipeCut 170
Cordless Pipe Saw,
(1) Cermet 140 Thin
Blade Installed, Pipe
Supports (4) small,
Battery Charger, (2)
Exact 18V Lithium-Ion
Batteries, Shoulder
Bag, Instructions, 5mm
& 2mm Allen Keys.

#### **P400 Cordless Kit**

#### **Cut & Bevel PVC at the Same Time!**

2" - 16" OD Pipes
7/8" Cutting,
5/8" Cut & Bevel
18V 5.0 AH Lithium Ion
1 hour



**Standard Equipment:** PipeCut P400 Cordless Pipe Saw, (1) Cut+Bevel Blade Installed, (1) TCT P150 Blade, Pipe Supports (2) Single (1) Double, Battery Charger, (2) Exact 18V Lithium-Ion Batteries, Shoulder Bag, Instructions, 5mm & 2mm Allen Keys.



### **PipeCut 170E**

Capacity Range	.6" - 6.7" OD Pipes
Steel Wall Thickness	.31"
Plastic Wall Thickness	.55"
Motor	9.2 Amp
Weight	<b>12</b> lb

**Standard Equipment:** PipeCut 170E Saw, TCT 140 Blade, Shoulder Bag, 4 Pipe Supports, Allen Keys (2mm, 5mm)



### PipeCut 220E

.6" - 8.7" OD Pipes
.31"
.55"
9.2 Amp
13 lb

**Standard Equipment:** PipeCut 220E Saw, TCT 140 Blade, Shoulder Bag, 4 Pipe Supports, Allen Keys (2mm, 5mm)

#### **SPECIALTY SAWS**

### **PipeCut P400**

Cut and bevel at the same time

Capacity Range	2" - 16" OD Pipes
Plastic Wall Thickness	2"
Motor	8.4 Amp
Weight	36 lb

**Standard Equipment**: PipeCut P400 Saw, TCT P150 Blade, Cut & Bevel Blade, Shoulder Bag, Heavy Duty Pipe Supports (2 Single, 1 Double), Allen Keys (5mm)



### PipeCut P1000

For large diameter plastic pipes

Capacity Range	2.3" - 40" OD Pipes
Plastic Wall Thickness	2.9"
Pipe Material	Plastics (PP, PE, PVC, HDPE)
Motor	15 Amp
Weight	25 lb
Built-in Laser for Precise Cutting	

**Standard Equipment**: PipeCut P1000 Saw, TCT 190 Blade, Shoulder Bag, 3 Pipe Supports, Allen Keys (2mm, 5mm)



### **PipeCut V1000**

A new era for spiral duct cutting

Capacity Range	3" - 40" OD Pipes
Wall Thickness	.06"023"
Motor	8.4 Amp
Weight	13 lb

**Standard Equipment**: PipeCut V1000 Saw, Cermet V155 Blade, Shoulder Bag, Allen Keys (2mm, 5mm)





### **PipeCut 360 AIR**

Capacity Range	3" - 14" OD Pipes
Steel Wall Thickness	1.8"
Plastic Wall Thickness	1.8"
Motor	4.6 HP
Weight	59 lb
Required Air Pressure	90 PSI /140 CFM
Blades for Ductile Iron	Diamond X165, Diamond X180

Standard Equipment: PipeCut 360 AIR SAW

#### **BEVELERS**

#### **PipeBevel 220E**

Capacity Range	1" - 8.8" OD Pipes
Wall Thickness	.0" - 0.4"
Angles/Degrees	30, 37.5, 45
Motor	8.4 Amp
Weight	13 lb

**Standard Equipment**: PipeBevel PB220E, Shoulder Bag, 2 Pipe Supports, Allen Key (5mm). NOTE: Cutting Head and Bevel Tips Sold Separately. Need to order Cutter Head Angle (30°, 37.5°, 45°) and order SS Bevel Tips (3 pack).

#### **PipeBevel 360E**

Capacity Range	4.4" - <b>1</b> 4.4" OD Pipes
Wall Thickness	.0" - 0.4"
Angles/Degrees	30, 37.5, 45
Motor	8.4 Amp
Weight	13 lb





Standard Equipment: PipeBevel PB360E, Shoulder Bag, 2 Pipe Supports, Allen Key (5mm).

NOTE: Cutting Head and Bevel Tips Sold Separately.

NOTE: Cutting Head and Bevel Tips Sold Separately. Need to order Cutter Head Angle (30°, 37.5°, 45°) and SS Bevel Tips (3 pack).

#### **Pipe Supports, Shoulder Bag and Blade Guard**







**Heavy Duty Pipe Supports** 



Shoulder Bag



Blade Guard w/ Vacuum Port BGTVP Small: 220 Pro BGTVP Large: 280/360/460 Pro

#### SAW BLADES/DISCS — 2 7/16" ARBOR

SKU	Material to Cut	Fit Saws#	Blade Size
TCT 140	Steel, Copper, Plastics	170E, 220E, & Pro Saws	5 <sup>1</sup> /2" (140mm)
TCT 165	Steel, Copper, Plastics	280, 360, 460, 220 Pro	6 <sup>1</sup> / <sub>2</sub> " (165mm)
TCT P-150	Plastics (PE, PP, PVC, etc.)	P400, P400 Cordless, P1000 & Pro Saws	5 <sup>29</sup> / <sub>32</sub> " (150mm)
TCT P-190	Plastics (PE, PP, PVC, HDPE)	P1000, 280, 360, 460	7 <sup>1</sup> / <sub>2</sub> " (190mm)
TCT P-250	Plastics (PE, PP, PVC, HDPE)	P1000	9 <sup>7</sup> /8" (250mm)
TCTZ-140	Steel, Copper, Plastic	170E, 220E, & Pro Saws	5 <sup>1</sup> / <sub>2</sub> " (140 mm)
Cermet 130	Steel, Stainless	280, 360, Air Saw	5 <sup>1</sup> / <sub>10</sub> " (130mm)
Cermet 140	Steel, Stainless, Copper, Plastics	170E, 220E, & Pro Saws	5 <sup>1</sup> /2" (140mm)
Cermet 140 Thin	Steel, Copper, Plastic	170 Cordless, & Pro Saws	5 <sup>1</sup> / <sub>2</sub> " (140mm)
Cermet 165	Steel, Stainless, Copper, Plastics	280, 360, 460, 220 Pro	6 <sup>1</sup> /2" (165mm)
Cermet 180	Steel, Stainless, Copper	280, 360, 460	7 <sup>2</sup> / <sub>25</sub> " (180mm)
Cermet V155	Thin Wall Ventilation Pipes	V1000	6 <sup>7</sup> / <sub>64</sub> " (155mm)
Cut Bevel Blade 190	Plastics (PE, PP, PVC, HDPE)	P1000	7 <sup>1</sup> / <sub>2</sub> " (190 mm)
Cut Bevel Blade	Plastics (PE, PP, PVC, HDPE)	P400, P400 Cordless, & P1000	5 <sup>53</sup> / <sub>64</sub> " (148mm)
ALU 140	Aluminum, Fusible Plastic	170E, 220E, & Pro Saws	5 <sup>1</sup> /2" (140mm)
ALU 165	Aluminum, Fusible Plastic	220, 280, 360, 460	6 <sup>1</sup> /2" (165mm)
ALU 180	Aluminum, Fusible Plastic	220, 280, 360, 460	7 <sup>2</sup> / <sub>25</sub> " (180mm)
Diamond X140	Cast Iron, Ductile (Nodular Cast Iron)	170E, 220E, & Pro Saws	5 <sup>1</sup> / <sub>2</sub> " (140mm)
Diamond X165	Cast Iron, Ductile (Nodular Cast Iron)	360 AIR & AII Pro Saws	6 <sup>1</sup> /2" (165mm)
Diamond X180	Ductile Iron, Fiberglass	360 AIR & AII Pro Saws	7 <sup>2</sup> / <sub>25</sub> " (180mm)
INOX 140	Stainless Steel	170E, 220E, INOX220 & All Pro Saws	5 <sup>1</sup> / <sub>2</sub> " (140mm)
INOX 140 Thin	Schedule 10 Stainless	170E, 220E, INOX220 & All Pro Saws	5 <sup>1</sup> / <sub>2</sub> " (140mm)
Diamond Cut/Bevel 140	Cut/Bevel Ductile/Cast Iron	220 PRO CUT/BEVEL	5 <sup>1</sup> / <sub>2</sub> " (140mm)
Diamond Cut/Bevel 165	Cut/Bevel Ductile/Cast Iron	360 PRO CUT/BEVEL	6 <sup>1</sup> /2" (162mm)

#### **GUARANTEE WARRANTY**

### Guarantee Warranty terms effective January 1, 2020.

If the Exact PipeCut Saw becomes unusable due to material or manufacturing defects within the Warranty Term or \*Extended Warranty Term, at our discretion, we will repair the Exact PipeCut Saw or supply an entirely new or factory reconditioned Exact PipeCut Saw at no charge.

#### **Warranty Term**

The Exact Tools Warranty Term is for 12 months from the date of purchase.

### The Warranty is valid only if all of the following conditions are met:

- Copy of a dated purchase receipt is returned to an Authorized Warranty Repair Center or has been uploaded to our website at the time of warranty registration.
- 2. The Exact PipeCut Saw has not been misused.
- No attempt has been made to repair the saw by anyone other than technicians at an Authorized Warranty Repair Center.
- The Exact PipeCut Saw has been used in accordance with the operating, safety, and servicing instructions provided in the manual.
- The Exact PipeCut Saw has been delivered to an Authorized Warranty Repair Center within the term of the warranty.

Note: The Exact PipeCut Saw is to be shipped to the Authorized Warranty Repair Center freight prepaid. If the Exact PipeCut Saw is repaired under Warranty, the return shipment will be made freight prepaid. If the Exact PipeCut Saw is not repaired under Warranty, the return shipment will be made freight collect.

Please Note: The following items or services are excluded from Warranty claims:

Saw Blades, Overload Protection Fuse, Carbon Brushes, Gripping Unit Wheels, Blade Flange, Attachment Flange 90mm, Pulling Flange Washer, Normal Wear and Tear, Power Cords, Adjustment of Adjustment Wheel, Damage due to: misuse, accident, water, fire or physical damage.



#### www.exacttools.com

#### **Exact Pipe Tools, Inc.**

A Wholly Owned Subsidiary of Exact Tools, OY 3465 S. Arlington Road,

Suite E #312 • Akron OH 44312

Email: nasales@exacttools.com

Ph: 844.392.2800 Ph: 330.922.8150 Fx: 888.607.9648



WATCH OUR



VISIT OUR WEBSITE EXACTTOOLS.COM