CATALOGUE



Professional pipe cutting tools

۲

If it needs to be cut, cut Exact.

CARRY HER



Get the Exact experience


At Exact Tools, we strive to make your job easier. We have developed a range of **powerful, safe,** and **easy-to-use** pipe saws that enable anyone to achieve professionalgrade results right from the first use. That's the Exact experience.

We guarantee that once you try Exact Tools, you will see and feel the difference.

۲

Welcome to our world!





Exactly what you want

At the core of our revised product range is versatility. We offer solutions for various onsite conditions and pipe materials, suitable for everything from light to high-strength applications. Our tools are unique, with many protected by patents.

PRO SERIES

page 6

Power and durability are the core of our Pro Series. When paired with the right blade they are built to handle heavy-duty use year after year. A package to cut and bevel cast iron pipes in one go is available.

INFINITY

page 12

 (\bullet)

Exact Infinity has no upper limit for pipe outer diameter, making it possible to cut world's largest pipes with precision, ease, and safety. Now available also as a HYDRA version.

INOX

page 14

Our INOX pipe saws are designed for stainless steel and acid-resistant pipe cutting. To avoid contamination, all parts in contact with the pipe are also made of stainless steel.

CLASSICS

page 16

Lightweight and compact pipe saws deliver precise results from the very first cut. Easy to handle and portable saws for cutting onsite and offsite.

If it needs to be cut, cut Exact.

22

PLASTIC & page 20 VENTILATION

Fast and precise tools to cut plastic and ventilation pipes. In addition, the cutting result is always high-quality and straight, without altering the pipe material.

BEVELLERS

page 24

Our bevellers use the same unique, effective grip that ensures safety and provides highly precise results. They are exceptionally quick to install.

HYDRA

page 26

۲

Our latest innovation Exact HYDRA is powered by hydraulics and designed for pipe cutting in wet conditions and even underwater. Exact HYDRA is also available as an Infinity version.



BLADES & DISCS

()

page 28

A wide selection of high-quality blades and discs designed for our tools ensures excellent results for all pipe materials.

BXB

exac

PRO SERIES 2 YEARS WARRANTY

۲

Pro Series For some serious cutting

The Pro Series pipe saws deliver double the power of the Classics. When paired with the right blade for the right material they are built to handle heavy-duty use year after year. A new feature in the Pro Series pipe saws is the adjustable blade depth, making it easier to cut through double-layered materials. ROSS TAYLOR, RH TAYLOR MECHANICAL, OHIO: ۲

"Any other method feels barbaric.

The Exact saw is the most efficient way to cut pipe, either in the bench or cutting in the field. The speed and quality are unmatched."

6 If it needs to be cut, cut Exact.

6

۲

13.2.2025 13.03

PipeCut 220 PRO

- Doubles the cut power compared to Classics
- New feature: adjustable blade depth
- A traffic light system protecting the motor from overload
- Laser indicator for cutting point precision
- Upgradeable to Cut & Bevel for cast iron



Cermet 165, Diamond 165, ALU 180

۲



Pipe material	Steel, stainless, cast iron, glass fiber, aluminium, copper, plastics	
Pipe OD	20 mm-220 mm (0.8"-8.7")	_
Max pipe wall	Steel 16 mm Plastic 35 mm	_
Clearance	270 mm around the pipe	_
Power / Current	1600 W (220–240 V)	-
No-Load speed	I (low) = 1900 r/min, II (high) = 2885 r/min	- Le _ ab
Blade diameter	140 mm–180 mm	Pr
Mounting bore	62 mm	
Weight	11.5 kg	5
Electronical unit	Blade speed preselection, overload protection, soft start, torque control	







Standard package includes

- PipeCut 220 Pro Series pipe saw
- Cermet 165 blade pre-installed
- Pipe support x 4 pcs
- Allen keys 5 mm and 2 mm
- Shoulder bag
- · Cut and Bevel package available

exacttools.com 7





Standard package includes

- Exact PipeCut 360 Pro Series pipe saw
- Cermet 165 blade fitted to the machine
- Pipe supports 1 x double, 2 x single
- Allen keys 5 mm and 2 mm
- Shoulder bag
- · Cut and Bevel package available

8 If it needs to be cut, cut Exact.

Work with precision.

۲

PEO

۲

•

Let us make heavy-duty easier.

10 If it needs to be cut, cut Exact.

۲

Totory Q 6

FICX'

۲

 (\bullet)



Cermet 165, Diamond 165, ALU 180

۲

Steel, stainless, cast iron, glass fiber, aluminium, copper, plastics	
100 mm-460 mm (4″-18″)	
Steel 20 mm Plastic 50 mm	
235 mm around the pipe	
2500 W (220–240 V)	
I=1900 r/min, II=2885 r/min	See 460
140 mm–190 mm	in action
62 mm	
17.7 kg	
Blade speed preselection, overload protection, soft start, torque control	
	aluminium, copper, plastics 100 mm-460 mm (4"-18") Steel 20 mm Plastic 50 mm 235 mm around the pipe 2500 W (220-240 V) I=1900 r/min, II=2885 r/min 140 mm-190 mm 62 mm 17.7 kg Blade speed preselection, overload

RO





Standard package includes

- Exact PipeCut 460 Pro Series pipe saw
- · Cermet 165 blade fitted to the machine
- Pipe supports 1 x double and 2 x single
- Allen keys 5 mm and 2 mm
- Shoulder bag
- · Cut and Bevel package available

exacttools.com 11

Cutting the world's largest pipes

Exact Infinity takes pipe cutting to a whole new level. With no limits to cutting capacity for pipe outside diameters, Infinity truly means cutting without boundaries. You can handle virtually any pipe size with an outside diameter starting from 360 mm (14") and up.

The system features a chain-based gripping mechanism that is as versatile as it is reliable. Thanks to the flexible chain segments, you can extend the gripping unit to accommodate pipes of any size.



۲

۲

Ð

INFINITY

- Cuts all pipe sizes 14" / 360 mm and up
- Cast-iron pipe at the same time
- Cut & Bevel package for large ductile and cast iron pipes available
- Hydraulic version available, see page 26
- Save time and improve safety on the job site



Cermet 165, Diamond 165, TCT P190

PATENT PENDING

Pipe material	Steel, stainless, cast iron, glass fiber, aluminium, copper, plastics	
Pipe OD	360 mm–Infinity (14"–Infinity)	-
Max pipe wall	Steel 20 mm Plastic 43 mm	_
Clearance	270 mm around the pipe	-
Power / Current	2500 W (220–240 V)	_
No-Load speed	I (low) = 1900 r/min, II (high) = 2900 r/min	Learn more
Blade diameter	140 mm–190 mm	about Infinity
Mounting bore	62 mm	
Weight	20 kg	
Electronical unit	Blade speed preselection, overload protection, soft start, torque control	



Infinity standard package includes

- Exact PipeCut Infinity motor unit with Cermet 165 blade installed
- Tensioner device and device with crank
- · Chain segments for attaching the saw to pipe
- Operating instructions and two bags
- Allen key 5 mm

exacttools.com 13

INOX Clean cuts for stainless steel

Our INOX pipe saws are designed for stainless steel and acid-resistant pipe cutting. To avoid contamination, all parts in contact with the pipe are also made of stainless steel, so you can work with the most challenging materials without fear of subsequent corrosion on the pipe wall. These saws combined with the INOX blade are an unbeatable combination if you are looking for an easy-to-handle cutter for a job where speed and quality of cuts are key factors.

14 If it needs to be cut, cut Exact.

۲

۲

()

INOX 220

- Portable and handy
 Up to 10 times more cuts on stainless steel compared to previous solutions
 - Laser pointer for precise cutting
 - / Also INOX 360 available



INOX 140, INOX 140 Thin

۲



Pipe material	Stainless	
Pipe OD	20 mm–220 mm (0.8″–8.7″)	
Max pipe wall	Stainless steel 12.5 mm	
Clearance	240 mm around the pipe	
Power / Current	1600 W (220–240 V)	
No-Load speed	l (low) = 1900 r/min, ll (high) = 2885 r/m	in See 220 in
Blade diameter	140 mm	action
Mounting bore	62 mm	
Weight	11.5 kg	
Electronical unit	Blade speed preselection, overload protection, soft start, torque control	



Standard package includes

- Exact PipeCut 220 INOX pipe saw with INOX 140 saw blade pre-installed
- Pipe cutting supports 4 pcs

(•)

- Shoulder bag
- Allen key 5 mm

exacttools.com 15

(�)

CLASSICS Lightweight tools for precise cutting

Classics Series pipe saws are strong but lightweight – they are easy to carry wherever you go. Our Classics saws are ideal for cutting plastic and metal pipes quickly and efficiently. A battery-powered version is also available, allowing you to work even in challenging offsite conditions.

BRIDGET MCCARTNEY, BAY STATE INDUSTRIAL WELDING & FABRICATION, INC. HUDSON, NH

"Extremely easy tool to use and requires minimal layout and set up."

۲

16 If it needs to be cut, cut Exact.

۲



TCT 140, Cermet 140, Diamond X140

۲

Pipe material	Steel, stainless, cast iron, glass fiber, aluminium, copper, plastics	
Pipe OD	15 mm–220 mm (0.6"–8.6")	
Max pipe wall	Steel 8 mm Plastic 14 mm	
Clearance	200 mm around the pipe	
Power / Current	1200 W (220–240 V)	Learn more about
No-Load speed	1600–3500 r/min	Classics
Blade diameter	140 mm	
Mounting bore	62 mm	
Weight	6 kg	
Electronical unit	Blade speed adjustment, soft start	



Standard package includes

• Exact PipeCut 220E pipe saw

(•)

- TCT 140 blade fitted to the machine
- · Pipe support 280, 4 pcs
- Alley keys 5 mm and 2 mm
- Shoulder bag

exacttools.com 17



TCT 140, Cermet 140, ALU140

 (\bullet)



Pipe material	Steel, stainless, cast iron, glass fiber, aluminium, copper, plastics	
Pipe OD	15 mm–170 mm (0.6"–6.7")	
Max pipe wall	Steel 8 mm Plastic 14 mm	
Clearance	200 mm around the pipe	
Power / Current	1200 W (220–240 V)	See 170E
No-Load speed	1600–3500 r/min	in action
Blade diameter	140 mm	
Mounting bore	62 mm	
Weight	5.7 kg	
Electronical unit	Blade speed adjustment, soft start	



Standard package includes

- Exact PipeCut 170E pipe saw
- TCT 140 blade fitted to the machine
- Pipe support 170, 4 pcs
- Allen keys 5 mm and 2 mm

(•)

Shoulder bag

18 If it needs to be cut, cut Exact.

PipeCut 170 BATTERY

- Cuts all materials
- Completely mobile and cordless
- Lightweight
- Cuts both metal and plastic pipes
- Adjustable motor speed and contant torque



TCT 140, Cermet 140, ALU140

Pipe material	Steel, stainless, cast iron, glass fiber, aluminium, copper, plastics	34
Pipe OD	15 mm–170 mm (0.6"–6.7")	
Max pipe wall	Steel 5 mm Plastic 14 mm	
Clearance	250 mm around the pipe	
Battery / Current	18 V / 5,0 Ah	
No-Load speed	3450 r/min	
Blade diameter	140 mm	
Mounting bore	62 mm	
Weight	5.2/6.0 kg	



Standard package includes

- Exact PipeCut 170 Battery Pipe Saw with Cermet THIN 140 installed
- Pipe support 170, 4 pcs
- Exact 18V 5.0 Ah Lithium-Ion Batteries, 2 pcs
- Battery charger, 1 pc
- Allen keys 5 mm & 2 mm
- Shoulder bag

exacttools.com 19



PLASTIC & VENTILATION Precise and fast pipe cutting

Our pipe saws, designed for plastic and ventilation pipes, make pipe cutting exceptionally fast. In addition to speed, the cutting result is always high-quality and straight, without altering the pipe material. When the cut is right the first time, the job gets done more efficiently.

20 If it needs to be cut, cut Exact.

312383

 For high-qualiplastic pipes Suitable for a (PP, PE, PVC) Does not alter of the materia 	ity joint work on Il common plastics r the properties	
TCT P150, ALU 140, Cur		ALSO AVAILABLE CORDED VERSION
TCT P150, ALU 140, Cur Pipe material		AVAILABLE
		AVAILABLE CORDED VERSION
Pipe material	Copper, plastics	AVAILABLE CORDED VERSION Watch our
Pipe material Pipe OD	Copper, plastics 50 mm–400 mm (2"–16")	AVAILABLE CORDED VERSION
Pipe material Pipe OD Max pipe wall	Copper, plastics 50 mm-400 mm (2"–16") 20 mm cut and 18 mm Cut+Bevel plastics	AVAILABLE CORDED VERSION - Watch our - tutorial
Pipe material Pipe OD Max pipe wall Battery	Copper, plastics 50 mm-400 mm (2"–16") 20 mm cut and 18 mm Cut+Bevel plastics 18 V / 5,0 Ah	AVAILABLE CORDED VERSION - Watch our - tutorial
Pipe material Pipe OD Max pipe wall Battery No-Load speed	Copper, plastics 50 mm-400 mm (2"-16") 20 mm cut and 18 mm Cut+Bevel plastics 18 V / 5,0 Ah 3450 r/min	AVAILABLE CORDED VERSION - Watch our - tutorial



Standard package includes

- Exact PipeCut P400 Battery
 Pipe Saw with TCT P150 installed
- Cut Bevel blade 148, 1 pc
- Pipe supports single, 4 pcs
- Exact 18V 5.0 Ah Lithium-Ion Batteries, 2 pcs
- Battery charger, 1 pc
- Shoulder bag

(•

· Allen keys 5 mm & 2 mm

exacttools.com 21

۲

 (\bullet)

PipeCut V800

- For cutting extremely thin-walled metal pipes
- After cutting pipes are ready to be connected
- The pipe stays round
- Cuts precisely where needed
- Specific V155 blade for this model





Cermet V155

Pipe material	Steel, steinless, aluminium	
Pipe OD	75–800 mm (3"–14")	
Max pipe wall	1,5 mm, 6 mm seam	
Power / Current	1200 W (220–240 V)	See V800
No-Load speed	1600–3500 r/min	in action
Blade diameter	155 mm	
Mounting bore	65 mm	
Weight	6 kg	
Electronical unit	Soft start	



Standard package includes

Exact PipeCut V800 pipe saw

(•)

- Allen key 5 mm
- Cermet V155 blade fitted to the machine
- Shoulder bag

22 If it needs to be cut, cut Exact.

PipeCut P1000

- For high-quality joint work on plastic pipes
- Suitable for all common plastics (PP, PE, PVC)
- Does not alter the properties of the material
- Upgradeable to Cut & Bevel





TCT P190, TCT P250, Cut Bevel Blade 190

Pipe material	Plastics	
Pipe OD	60 mm–1000 mm (2.3"–40")	_
Max pipe wall	Plastic 75 mm	_
Power / Current	1600 W (220–240 V)	_
No-Load speed	l (low) = 1900 r/min, ll (high) = 2885 r/min	Watch
Blade diameter	150 mm–250 mm	P1000 demo
Mounting bore	62 mm	
Weight	11.5 kg	
Electronical unit	Blade speed preselection, overload protection, soft start, torque control	



Standard package includes

- Exact PipeCut P1000 pipe saw
- TCT 190 saw blade pre-installed
- Pipe support 1 x big and 2 x small
- Allen keys 5 mm & 2 mm
- Shoulder bag

exacttools.com 23



BEVELLERS Making your work easier

Our Bevellers' gripping mechanism and operating system ensure precise adjustment capabilities. This allows you to achieve the exact bevel you need, regardless of the conditions, and effortlessly repeat the same bevel settings time after time. Compared to similar machines, our Bevellers are cost-effective and remarkably quick to set up.

24 If it needs to be cut, cut Exact.

۲

BEVELLERS

- Uses the same unique, effective grip that ensures safety and provides highly precise results
- Exceptionally quick to install
- Precise adjustment capabilities
- Precise repeatability
- Beveling is as desired, regardless of the conditions
- Power 1400 W (220-240V)

PipeBevel 220E

- · Suitable for steel and stainless steel
- Pipe sizes of OD 25 mm-220 mm (0.98"-8.6") and up with a wall thickness of 10 mm (0.39")
- · Does not create flames or sparks
- External cutting head is available in three bevel angles (30°, 37.5° and 45°)

PipeBevel 360E

- Suitable for steel and stainless steel
- Pipe sizes of OD 110 mm–360 mm (4.33"–14.17") and up with a wall thickness of 10mm (0.39")
- · Does not create flames or sparks
- External cutting head is available in three bevel angles (30°, 37.5° and 45°)





Standard package includes

- PipeBevel 220E beveller or 360E beveller
- Pipe support x 2
- Allen key 5 mm
- Shoulder bag

exacttools.com 25

HYDRA We are not afraid of water

The unique Exact HYDRA pipe saws are built to handle the toughest environments, delivering fast and safe pipe cutting in wet underground conditions and even underwater. Choose between the Exact HYDRA 360 with a gripper unit or the Exact HYDRA Infinity, depending on your needs.

The tool is powered by a compact hydraulic power unit or can be connected directly to an excavator's hydraulic system (max. 150 bar, 25 l/min).

26 If it needs to be cut, cut Exact.

۲

۲

PipeCut 360 HYD		0 (25)
 For wet conditions underwater work Choose the model: a gripper unit or Im Easy to use in chall conditions The cutting quality excellent from the Cuts pipes 75 mm a 	and 360 with finity enging is very first use	
Pipe material	Steel, stainless, cast iron,glass fiber, aluminium, copper, plastics	ALSO AVAILABLE HYDRA
Pipe OD	75 mm-360 mm (3"-14")	INFINITY
Max pipe wall	Steel 25 mm Plastics 45 mm	
Clearance	240 mm around the pipe	
Hydraulic pressure max.	150 bar (2,200 PSI)	
Hydraulic volume max.	25 l/min (6,6 GPM)	
Blade diameter	140 mm–190 mm	 Watch HYDRA
Mounting bore	62 mm	tutorial
Weight	18.5 kg	
Oil quality requirement	32, biodegradable oil recommended for environmental reasons	
Operating temperature	+40°C20°C / 104F4F	



Exact PipeCut HYDRA package includes

- Exact HYDRA 360 machine
- Two connecting hoses (1 meter)
- Exact Cermet 165 blade
- Tools for changing the blade

()

exacttools.com 27

۲

()

Blades & Discs

Exact Tools has a wide range of specially designed saw blades and diamond discs for Exact PipeCut saws. Our hight quality cutting blades and discs are designed for different purposes and for different PipeCut machines.

TCT BLADES

Blades with tungsten carbide tips for general use. Suitable for cutting steel, copper, aluminium and plastics.

CERMET BLADES

Blades with ceramic tips for heavy duty applications, especially for cutting stainless steel, acid proof steel and mild steel.

ALU BALDES

۲

Intended for aluminium pipes. However, also suits well for plastics such as HDPE.

TCT P BLADES

The recommended blade for cutting plastics such as PP, PE, PVC etc. Large tungsten carbide tips allow more room for plastic chips to flow seamlessly.

INOX BLADES

The premium blade for the hardest stainless steels. Intended for cutting stainless steel and acid proof steel.

DIAMOND DISCS


Heavy duty special diamond discs only to be used for cutting cast iron, ductile and glass fiber pipes.

28 If it needs to be cut, cut Exact.

()

DIAMOND CUT+BEVEL DISC

Special discs designed to cut and bevel cast iron and plastic pipes in one process. They are equipped with heavy duty diamonds. Only suitable to use with a wider lower blade guard (included to the Cut+Bevel package).



۲

CUT+BEVEL BLADES

These blades are designed to cut and bevel plastic pipes in one process. The blades are intended for various plastic materials.



exact



Available also individually and in sets.

۲

BLADES AND DIAMOND DISCS

۲

	MATE	MATERIALS						SUIT	ABLE F	0
	Steel	Stain-	Cast	Glass	Alumi-	Cop-	Plastics	170E	220E	1
		less	iron	fiber	nium	per				F
тст		1			1					
TCT 140	2	3			2	2	3	Х	X	
TCT Z140	2	3			2	2	3	Х	Х	Γ
TCT P150							1			
TCT 165	2	3			2	2	3			
TCT P190							1			
TCT P250							1			
Cermet										
Cermet 140	1	2				1	3	Х	X	
Cermet 140 THIN	1	2				1	3	Х	Х	
Cermet V155	1	2			2					
Cermet 165	1	2				1	3			
Cermet 180	1	2				1	3			
ALU										
ALU 140					1		1	Х	X	
ALU 165					1		1			
ALU 180					1		1			
INOX										
INOX 140	1	1				2	3	Х	Х	
INOX 140 Thin	1	1				2	3	Х	Х	
Diamond					_					
Diamond X140			1	1			3	Х	Х	
Diamond X165			1	1			3			
Diamond X180			1	1			3			
Cut & Bevel						1				
Cut Bevel blade 148							1			
Cut Bevel blade 190		ļ					1			
Diamond Cut Bevel disc 140 mm			1	1			3			
Diamond Cut Bevel disc 165 mm			1	1			3			
1 = Most suitable 2 = Su	itable	3 = Suita	ble, but	not reco	ommende	ed		X = Su	, uitable f	01

30 If it needs to be cut, cut Exact.

()



۲

220	ACHINES 360	460	170	P400	P400	P1000	V800	INOX	INOX	HYDRA	INFINIT
Pro	Pro	460 Pro	Bat	Bat	P400	P1000	V800	220	360	HYDRA	
X	X	Х	Х					Х	X	Х	X
X	X	X	Х					Х	Х	X	X
X	X	X		X	Х	X			X	X	Х
X	X	X							Х	X	X
	X	X				X			X		
						Х					
X	X	X	Х					X	X	X	Х
X	X	X	X					X	X	X	X
^	^	^	^				X	^	^	^	^
X	X	X							X	X	X
X	X	X							X	X	X
^									~	~	
X	X	X	Х	Х	Х	Х		X	Х	X	Х
X	X	X	~			X		~	X	X	X
X	X	X	х			X			X	X	X
Х	X	X	Х			Х		Х	X	X	Х
Х	X	Х	х			Х		Х	Х	X	Х
X	X	X	Х	X	Х	X		X	X	X	X
X	X	X				X			X	X	X
X	X	X				X			X	X	X
				Х	Х	X					
						X					
X (C8 kit)	B X (C&B kit)	X (C&B kit)		x	x	х				X (C&B kit)	X (C&I kit)
X (C8 kit)	B X (C&B kit)	X (C&B kit)		X	х	Х				X (C&B kit)	X (C&E kit)

exacttools.com 31

۲



Exact Tools Oy Martinkyläntie 41 FI-01720 Vantaa **FINLAND**

exact@exacttools.com youtube.com/@ExactTools





Global distribution by your local supplier

SP.